

Loseta Estándar Flex

PRODUCT SPECIFICATION

Características

- > Baldosas vinílicas económicas y de uso general
- > Decoración marmoleada tradicional o bitono
- > 100% reciclable y contiene 25% de material reciclado
- > Tratamiento superficial de poliuretano para reducir los costos de mantenimiento
- > Proyectos de remodelación de viviendas sociales



Product Format	Standard	Result
Gauge	ISO 24346 (EN 428)	2.0mm
Total Weight	ISO 23997 (EN 430)	3800g/m²
Finish		PU

Tile Size	Size	Shades	Quantity per Box	Coverage per Box/Roll
Tile	300mm x 300mm	16	50	4.5m²

Performance Requirements	Standard	Result
General Performance	ISO 10581	Conforms
Use Area	ISO 10874 (EN 685)	23, 33, 42
Slip Resistance	EN 13893	Class DS
Reaction to Fire	EN 13501-1 ASTM E648	Class Bfl-S1 Class 1
Static Electrical Propensity	EN 1815	≤2.0kV Classified as ‘antistatic’
Residual Indentation	ISO 24343-1	<0.10mm
Dimensional Stability	ISO 23999 (EN 434)	<0.25%
Flexibility	ISO 24344 (Method A) (EN 435)	40mm mandrel

Sustainability	Standard	Result
BRE Green Guide		A+ Generic
Generic EN 15804 EPD		Available
Recyclable		100%
Recycled Content		25%
REACH		Compliant
Indoor Air Comfort Gold		Eurofins certified product
AgBB/ABG		Pass

Maintenance Performance	Standard	Result
Resistance to Chemicals	ISO 26987 (EN 423)	Good resistance
Alco Hand Gels	Compatible for use with most commonly used alco-based hand gels	
Steam Cleaning	Suitable for steam cleaning on a periodic basis	

Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.



Polyflor Ltd. Head Office

PO Box 3, Radcliffe New Road, Whitefield, Manchester, M45 7NR • Tel: +44 (0) 161 767 1111 • Email: info@polyflor.com • www.polyflor.com

© At the time of writing and publication of sheet, all the information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.

Loseta Estándar Flex

RANGE SHADES

DUOTONE MARBLING



Arran Beige **7420**
NCS S 1505-Y30R LRV 58



Brecon Beige **7040**
NCS S 4010-Y10R LRV 32



Durham Fawn **7400**
NCS S 2010-Y40R LRV 47



Cambrian Bronze **7100**
NCS S 5010-Y30R LRV 26



Pennine Fawn **7030**
NCS S 3005-Y50R LRV 38



Jersey Tan **7410**
NCS S 3020-Y40R LRV 34



Dover Grey **7330**
NCS S 2002-G50Y LRV 58



Border Grey **7110**
NCS S 2502-Y LRV 50



Mourne Grey **7310**
NCS S 3502-B LRV 35



Lakeland Blue **7350**
NCS S 3040-R90B LRV 26

TRADITIONAL MARBLING



Dark Brown **6300**
NCS S 8005-Y80R LRV 8



Black Tulip **6040**
NCS S 8502-R LRV 5



Wensley Beige **7390**
NCS S 2010-Y80R LRV 48



Avon Sand **7080**
NCS S 3020-Y10R LRV 37



Firth Grey **7060**
NCS S 5000-N LRV 26



Cotswold Green **7010**
NCS S 4010-G30Y LRV 30